




Bavi Series




FUNCTION DISPLAY

Adjustable 2D Headrest

Height and angle adjustable headrest is made of high-quality mesh, provide good support when you recline to rest, relieve you after long time working in front of desk



1.Angle Adjustment



2.Height Adjustment

Backrest With Clothes Hanger


The mesh executive chair is equipped with a clothes hanger, it effectively prevents your apparel from wrinkle, bringing much convenience in your daily life.



Two Options Of Armrest

Metal Height Adjustable Armrest

Desk chair metal arm could adjust up and down , the soft PU pad support your arm sufficient and comfortable.




Plastic Height And Depth Adjustable Armrest

The lifting armrest is suitable for different people. It has a height and depth adjustment. The armrest height can be adjusted 7cm up/down and the armrest pad can be slide back and forth, which is convenient and flexible.




1.Depth Adjustment




2.Height Adjustment

Lumbar Support Adjustment

The lumbar support can be adjusted 4 CM depth and 3 CM up and down in total.



3CM front & back



5CM up and down

Two Options Of Seat

Full Mesh Seat

High-back design with suspension seat made of breathable mesh for added support and extra comfort with airflow.




Comfortable Cushion Seat

High-density sponge-filled cushion is soft and not easily deformed, which is soft and comfortable.




Back Tilt Adjustment

The back tilt adjustment range is 35 degree, so it can be adjusted between 90 and 125 degree. You can lock the angle until you are where you want to be.



Tilt tension

- Rotate the knob under the seat to adjust the backward tightness.
- For firmer/stiffer ---turn clockwise.
- For softer/looser---turn counter clockwise.



Variable Position Tilt Lock

- Press down on the handle located on the left side of the seat to lock the back into position.
- Pull up the handle to unlock the back position.

Pneumatic Seat Height Adjustment

Pull up on Lever located on the right side of the seat.

Lower or raise the seat to your desired height, then release the lever to lock the seat height.



Material Display

Breathable Mesh

Our computer chairs are made of high-quality mesh, which is resistant to abrasion and not easily deformed. The mesh backrest keeps the air flowing, refreshing and comfortable, so that the summer is not sweltering.



Explosion-proof Thickened Mechanism

Designed with high quality material, it can bear more than 330lbs.

Precise control the height adjustment and angle locking.



Heavy Duty Gaslift

Made of iron steel, durable & safe.

8 cm lifting range,easily adjust the height in customized comfort in the office.



Strong Iron base

Constructed to provide impeccable stability and strength, maximum load-bearing 1136KG.



Smooth Casters

Durable and silence casters without scratching your floor, enhance your seating experience.



Bavi Series



LA-8015MH



LA-8015FH

	LA-8015MH	LA-8015FH
Adjustable 2D Headrest	✓	✓
Backrest	✓	✓
Lumbar Support	✓	✓
Armrest	Metal Height Adjustable Armrest	Plastic Height And Depth Adjustable Armrest
Seat	Mesh Seat	Cushion Seat
Back Tilt Adjustment	90°-125°	90°-125°
Mechanism Material	Iron	Iron
Gaslift	85Y40	85Y40
Base	320mm Round Chromed Iron Base	320mm Round Chromed Iron Base
Castor	Nylon	Nylon

Certificates



Test Report

No.SDHL2107012840FT

Date: Sep 16, 2021

Page 1 of 10

FOSHAN CITY SHUN DE DISTRICT ZHIXING FURNITURE CO., LTD
NO.7, 2ND ROAD WEST PARK, XIANTANG BAOYONG INDUSTRY AVENUE, LONGJIANG TOWN,
SHUNDE DISTRICT, FOSHAN CITY, GUANGDONG, CHINA

Sample Description : OFFICE CHAIR (LA-8015MH-1)

As above test item and its relevant information regarding to the submission are provided and confirmed by the applicant. SGS is not liable to either the test item or its relevant information, in terms of the accuracy, suitability, reliability or/and integrity accordingly.

Sample Receiving Date : Jul 16, 2021

Sample Resubmission Date : Aug 20, 2021

Test Performing Date : Jul 19, 2021 to Sep 13, 2021

Test Performed : Selected test(s) as requested by applicant

Test Result Summary

No.	Test(s) Requested	Result(s)	Comments
1	EN 1335-2:2018, excluding information for use	PASS	/

For further details, please refer to the following page(s)

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Shunde Branch

Marco Leung

Marco Leung
Authorized Signatory

scan to see the report



SDHL2107012840FT



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8387 1443, or email: CN.Doccheck@sgs.com
15/F, Baiding Computer Industry Park, No.1 Shunde Road, Heshi, Shunde District, Foshan City, Guangdong Province, China 528333 t (86-757) 22805888 f (86-757) 22805858 www.sgs.com.cn
中国·广东·佛山市顺德区大良街道办事处北山社区五沙路15号B1栋15楼 邮编: 528333 t (86-757) 22805888 f (86-757) 22805858 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Product Information

Product Specification		
Model No (产品型号)	LA-8015MH	
Item Description (产品描述)	High back mesh chair	
Chair Specification (椅子规格)		
Width (宽度)	64.5CM	
Depth (深度)	63CM	
Minimum Overall Height - Top to Bottom (气杆最低的高度)	113 CM	
Maximum Overall Height - Top to Bottom (气杆最高的高度)	121CM	
Net Weight (净重)	16KGS	
No of chairs per carton 多少张椅子一箱	1PC/CTN	
Carton Size (L X W X H) based on 1pc/ctn 纸箱尺寸	75*32*63cm	
CBM Per Piece based on 1pc/ctn (每张椅子的体积)	0.151CBM	
No of chairs per carton 多少张椅子一箱	2PCS/CTN (chair body: 2pcs/ctn, base :2sets/ctn,)	
Carton Size (L X W X H) based on 2 pcs/ctn 纸箱尺寸	chair body: 2pcs/ctn,72*52*52cm; base :2sets/ctn, 64*11*63cm.	
CBM Per Piece based on 2pcs/ctn (每张椅子的体积)	0.12	
HS CODE	94013900	
Weight Capacity	180KG	
Warranty	2 Years	
Component Specification (配件规格)		
Head Rest (L * W) (头枕尺寸 L*W)	29*17 CM	
Backrest Width 靠背的宽度	46 CM	
Backrest Height 靠背的高度	52CM (From The Seat)	
Seat Width (Inner) 座内宽	49 CM	
Seat Depth 座深	50 CM	
Seat Height (Lowest) 坐高 (最低的高度)	46CM	
Seat Height (Highest) 坐高 (最高的高度)	54CM	
Foam Density 海绵密度	65 Injection Foam	
Metal Height Adjustable Armrest Pad (L*W)铁制升降扶手面尺寸 (L*W)	25.5*8CM	
Metal Armrest Height Adjustment 铁制升降扶手高度调节	7CM	
Plastic Height And Depth Adjustable Armrest Pad (L*W)塑料2D扶手面尺寸 (L*W)	28*8CM	
Plastic Armrest Height Adjustment塑料2D扶手高度调节	6CM	
Plastic Armrest Depth Adjustment 塑料2D扶手深度调节	5CM	
Armrest Height (Lowest From Floor) 扶手离地高度最低	64CM	
Armrest Height (Highest From Floor)扶手离地高度最高	72CM	
Mechanism(Type)底盘款式	Two handle mechanism with postions lock from 90° to 125°	
Mechanism Thickness 底盘厚度	3.0 MM	
Gas lift (Hydraulic) Finish/Color 气动杆颜色	Chrome	
Gas lift Grade 气动杆级别	GRADE 3	
Gas lift Height 气动杆高度	85	
Base 椅脚	Chromed Iron Base	
Base Radius 椅脚的半径	32CM	
Base Test Weight Capacity 椅脚承重	1136KG	
Castor Type 脚轮款式	Nylon Castors	
Color 颜色	Option	

Product Specification		
Model No (产品型号)	LA-8015FH	
Item Description (产品描述)	High back mesh chair	
Chair Specification (椅子规格)		
Width (宽度)	62.5CM	
Depth (深度)	61CM	
Minimum Overall Height - Top to Bottom (气杆最低的高度)	109 CM	
Maximum Overall Height - Top to Bottom (气杆最高的高度)	117CM	
Net Weight (净重)	15.5KGS	
No of chairs per carton 多少张椅子一箱	1PC/CTN	
Carton Size (L X W X H) based on 1pc/ctn 纸箱尺寸	75*32*63cm	
CBM Per Piece based on 1pc/ctn (每张椅子的体积)	0.151CBM	
No of chairs per carton 多少张椅子一箱	2PCS/CTN (chair body: 2pcs/ctn, base :2sets/ctn,)	
Carton Size (L X W X H) based on 2 pcs/ctn 纸箱尺寸	chair body: 2pcs/ctn,72*52*52cm; base :2sets/ctn, 64*11*63cm.	
CBM Per Piece based on 2pcs/ctn (每张椅子的体积)	0.12	
HS CODE	94013900	
Weight Capacity	180KG	
Warranty	2 Years	
Component Specification (配件规格)		
Head Rest (L * W) (头枕尺寸 L*W)	29*17 CM	
Backrest Width 靠背的宽度	46CM	
Backrest Height 靠背的高度	53CM (From The Seat)	
Seat Thinckness 坐厚	7CM	
Seat Width (Inner) 座内宽	49 CM	
Seat Depth 座深	50CM	
Seat Height (Lowest) 坐高 (最低的高度)	45CM	
Seat Height (Highest) 坐高 (最高的高度)	53CM	
Metal Height Adjustable Armrest Pad (L*W)铁制升降扶手面尺寸 (L*W)	25.5*8CM	
Metal Armrest Height Adjustment 铁制升降扶手高度调节	7CM	
Plastic Height And Depth Adjustable Amrest Pad (L*W)塑料2D扶手面尺寸 (L*W)	28*8CM	
Plastic Armrest Height Adjustment塑料2D扶手高度调节	6CM	
Plastic Armrest Depth Adjustment 塑料2D扶手深度调节	5CM	
Armrest Height (Lowest From Floor) 扶手离地高度最低	65.5CM	
Armrest Height (Highest From Floor)扶手离地高度最高	73.5CM	
Mechanism(Type)底盘款式	125°	
Mechanism Thickness 底盘厚度	3.0MM	
Gas lift (Hydraulic) Finish/Color 气动杆颜色	Chrome	
Gas lift Grade 气动杆级别	GRADE 3	
Gas lift Height 气动杆高度	85	
Base 椅脚	Chromed Iron Base	
Base Radius 椅脚的半径	32 CM	
Base Test Weight Capacity 椅脚承重	1136KG	
Castor Type 脚轮款式	Nylon Castors	
Color 颜色	Option	



Specifications

LA-8015MH:



LA-8015FH:

