



Kama Series




Product Features

The office chair perfectly conforms to your body curve, which is specially designed with five ergonomic adjustabilities to meet people's different heights' needs. Adjustable headrest, lumbar support adjustment, armrest and seat height, and tilt adjustment provide a customized seating experience.




3D Adjustable Headrest


Find your perfect headrest position with our 3 dimensional adjustable headrest. You can adjust the height, move it towards or away from your head and also pivot the headrest to your desired position.



1.Height adjustment



2.Differes Angles Adjustment




3.Forward and Backward Adjustment




Adjustable 2D Plastic Armrest

Adjusting the 2D armrest go forwards & back, up & down for a comfortable arm support.




1.Depth Adjustment




2.Height Adjustment

Adjustable 3D Metal Armrest


Adjusting up and down, pivot in and out, and shift forward and back, to provide steady support for your arms so your shoulders can remain in a relaxed position.



1.Depth Adjustment



2.Pivot Adjustment




3.Height Adjustment




Adjustable 2D Lumbar Support

The lumbar pillow can be adjusted up and down and front and back to make your lumbar spine more comfortable.



3CM front & back



5CM up and down

Four Options Of Seat

Stable Mesh Seat

High-back design with suspension seat made of breathable mesh for added support and extra comfort with airflow.




Comfortable Cushion Seat

High-density sponge-filled cushion is soft and not easily deformed, which is soft and comfortable.




Sliding Mesh Seat

To reduce the pressure on your thighs and hips, the high back mesh chair is specially equipped with a sliding seat. By adjusting the seat depth back and forth, you can easily find a comfortable position when work or rest.




Cushion Seat with Footrest

The concealed telescopic footrest at the bottom of the cushion seat is easy to extract, which perfectly improves the quality of the lunch break for adults when they go to work.



Back Tilt

The backrest supports a large 125° angle towards the back, so you can use it for your lunch break to relieve fatigue.



Pneumatic Seat Height Adjustment

Pull up on lever located on the right side of the seat.

Lower or raise the seat to your desired height, then release the lever to lock the seat height.



Material Display

Metal Back Frame

Super thick metal chair back frame is much more stronger than plastic and suitable for high weight people.



Breathable Mesh

Our computer chairs are made of high-quality mesh, which is resistant to abrasion and not easily deformed. The mesh backrest keeps the air flowing, refreshing and comfortable, so that the summer is not sweltering.



Explosion-proof Thickened Mechanism

Designed with high quality material, it can bear more than 330lbs.

Precise control the height adjustment and angle locking.



Heavy Duty Gaslift

Made of iron steel, durable & safe.

8 cm lifting range,easily adjust the height in customized comfort in the office.



Strong Iron base

Constructed to provide impeccable stability and strength, maximum load-bearing 1136KG.



Smooth Casters

Durable and silence casters without scratching your floor, enhance your seating experience.



Kama Series



LA-874MH-1



LA-874CH-1



LA-874SH



LA-874FHP

				
	LA-874MH-1	LA-874SH	LA-874CH-1	LA-874FHP
3D Headrest Adjustment	✓	✓	✓	✓
Metal Back	✓	✓	✓	✓
Lumbar Support	✓	✓	✓	✓
Armrest	3D Metal Adjustable Armrest	3D Metal Adjustable Armrest	3D Metal Adjustable Armrest	2D Plastic Adjustable Armrest
Seat	Mesh Seat	Sliding Mesh Seat	Cushion Seat	Injection Foam Cushion Seat
Footrest	✗	✗	✗	✓
Back Tilt Adjustment	90°-125°	90°-125°	90°-125°	90°-125°
Mechanism Material	Iron	Iron	Iron	Iron
Gaslift	85Y40	85Y40	85Y40	85Y40
Base	320mm Round Chromed Iron Base	320mm Square Chromed Iron Base	320mm Round Chromed Iron Base	350mm Square Chromed Iron Base
Castor	Nylon	Nylon	Nylon	Nylon

BIFMA 5.1



EN1335



Test Report

No.: SDHL1703003725FT

Date: Mar.10, 2017

Page 1 of 11

ZHIXING FURNITURE CO., LTD SHUNDE DISTRICT, FOSHAN CITY
ADDRESS: NO.7, 2ND ROAD WEST PARK, XIANTANG BAORYONG INDUSTRY AVENUE, LONGJIANG TOWN,
SHUNDE DISTRICT, FOSHAN CITY, GUANGDONG PROVINCE, CHINA

The following sample(s) was / were submitted and identified on behalf of the client as:

Sample Description	: UPSILON OFFICE CHAIR
Style / Item No.	: 481296 00 (LA874MH-1)
Buyer	: DEMEYERE/CALSCAN
Manufacturer	: 2619
Supplier	: 2619
Country of Destination	: FRANCE
Sample Receiving Date	: Jan.04, 2017
Sample 1 st Resubmission Date	: Jan.17, 2017
Sample 2 nd Resubmission Date	: Feb.23, 2017
Test Performing Date	: Jan.04, 2017 to Mar.03, 2017

Test Result Summary

Test(s) Requested	Result(s)
EN 1335-1:2000/AC:2002 (Type C)	PASS
EN 1335-2:2009 & EN 1335-3:2009/AC:2009, excluding the information for use.	PASS

Summary:

1. For further details, please refer to the following page(s).

Signed for and on behalf of
Shunde Branch
SGS-CSTC Co., Ltd.

Bill Wang
Approved signatory



SUS-CSTL, Shanghai Jiaotong University Co., Ltd.
Shanghai, China

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed below, available or request or accessible at <http://www.sgs.com/terms-and-conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/terms-and-conditions/terms-and-conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is deemed to have agreed to the terms and conditions of the document, and to be bound by the terms and conditions of the document, and to be bound by the Company's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is strictly prohibited and may result in civil or criminal prosecution. If the above information is not the results shown in this test report refer only to the sample's tested and such sample(s) are released for 30 days only.

Attention: In this test report refer only to the sample(s) tested and each sample(s) are retained for 90 days only.
Instructions: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8367
 1443, or email: Cn.DScheck@suga.com

F:\killing-report\killing-test\广东佛山顺德金德隆五金有限公司\金德隆五金公司\金德隆五金公司	CN3333	t (86-757)22095688	f (86-757)22095688	www.ssgroup.com.cn
中国·广东·佛山市顺德区大良街道小涌外水工业坊和康里十号创达工业园广富源金属制品厂	CN3333	t (86-757)22095688	f (86-757)22095688	e sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Product Information

Product Specification	
Model No (产品型号)	LA-874MH-1
Item Description (产品描述)	High back mesh chair
Chair Specification (椅子规格)	
Width (宽度)	64CM
Depth (深度)	61CM
Lowest Height (气杆最低的高度)	120 CM
Highest Height (气杆最高的高度)	128CM
Net Weight (净重)	18.7 KGS
No of chairs per carton 多少张椅子一箱	1PC/CTN
Carton Size (L X W X H) based on 1pc/ctn 纸箱尺寸	77*32*63CM
CBM Per Piece based on 1pc/ctn (每张椅子的体积)	0.155CBM
No of chairs per carton 多少张椅子一箱	2PCS/CTN (chair body: 2pcs/ctn, base :2sets/ctn.)
Carton Size (L X W X H) based on 2 pcs/ctn 纸箱尺寸	chair body: 2pcs/ctn,77*48*52cm; base :2sets/ctn, 64*11*63cm.
CBM Per Piece based on 2pcs/ctn (每张椅子的体积)	0.12
HS CODE	94013900
Weight Capacity	180KG
Warranty	2 Years
Component Specification (配件规格)	
Head Rest (L * W) (头枕尺寸 L*W)	29*17 CM
Backrest Width 靠背的宽度	48 CM
Backrest Height 靠背的高度	57CM (From The Seat)
Foam Density 海绵密度	65 Injection Foam
Seat Width (Inner) 坐内宽	49CM
Seat Depth 坐深	49CM
Seat Height (Lowest) 坐高 (最低的高度)	48CM
Seat Height (Highest) 坐高 (最高的高度)	56CM
Armrest Pad (L*W)扶手面尺寸 (L*W)	PU PAD, 25 *8.5 CM
Armrest Height Adjustment 扶手高度调节	8CM
Armrest Depth Adjustment 扶手深度调节	4CM
Armrest Height (Lowest From Floor) 扶手离地高度最低	70.5CM
Armrest Height (Highest From Floor) 扶手离地高度最高	78.5CM
Mechanism (Type) 底盘款式	Two handle mechanism with postions lock from 90° to 125°
Mechanism Thickness 底盘厚度	3.0MM
Gas lift (Hydraulic) Finish/Color 气动杆颜色	Chrome
Gas lift Grade 气动杆级别	GRADE 3
Gas lift Height 气动杆高度	85
Base 椅脚	Round chromed iron base
Base Radius 椅脚的半径	32 CM
Base Test Weight Capacity 椅脚承重	1136KG
Castor Type 脚轮款式	Nylon Castors
Color 颜色	Option



Product Specification		
Model No (产品型号)	LA-874CH-1	
Item Description (产品描述)	High back mesh chair	
Chair Specification (椅子规格)		
Width (宽度)	62.5CM	
Depth (深度)	70CM	
Lowest Height (气杆最低的高度)	110 CM	
Highest Height (气杆最高的高度)	118CM	
Net Weight (净重)	19KGS	
No of chairs per carton 多少张椅子一箱	1PC/CTN	
Carton Size (L X W X H) based on 1pc/ctn 纸箱尺寸	77*32*63CM	
CBM Per Piece based on 1pc/ctn (每张椅子的体积)	0.155CBM	
No of chairs per carton 多少张椅子一箱	2PCS/CTN (chair body: 2pcs/ctn, base :2sets/ctn,)	
Carton Size (L X W X H) based on 2 pcs/ctn 纸箱尺寸	chair body: 2pcs/ctn, 77*50*52cm; base :2sets/ctn, 64*11*63cm.	
CBM Per Piece based on 2pcs/ctn (每张椅子的体积)	0.122	
HS CODE	94013900	
Weight Capacity	180KG	
Warranty	2 Years	
Component Specification (配件规格)		
Head Rest (L * W) (头枕尺寸 L*W)	29*17 CM	
Backrest Width 靠背的宽度	48CM	
Backrest Height 靠背的高度	57CM (From The Seat)	
Seat Width (Inner) 坐内宽	50 CM	
Seat Depth 坐深	55CM	
Seat Thickness 坐厚	7.5CM	
Seat Height (Lowest) 坐高 (最低的高度)	44.5CM	
Seat Height (Highest) 坐高 (最高的高度)	52.5CM	
Armrest Pad (L*W)扶手面尺寸 (L*W)	PU PAD, 25 *8.5 CM	
Armrest Height Adjustment 扶手高度调节	8CM	
Armrest Depth Adjustment 扶手深度调节	4CM	
Armrest Height (Lowest From Floor) 扶手离地高度最低	63CM	
Armrest Height (Highest From Floor) 扶手离地高度最高	71CM	
Mechanism(Type)底盘款式	Two handle mechanism with postions lock from 90° to 125°	
Mechanism Thickness 底盘厚度	3.0MM	
Gas lift (Hydraulic) Finish/Color 气动杆颜色	Chrome	
Gas lift Grade 气动杆级别	GRADE 3	
Gas lift Height 气动杆高度	85	
Base 椅脚	Round chromed iron base	
Base Radius 椅脚的半径	32 CM	
Base Test Weight Capacity 椅脚承重	1136KG	
Castor Type 脚轮款式	Nylon Castors	
Color 颜色	Option	

Product Specification	
Model No (产品型号)	LA-874SH
Item Description (产品描述)	High back mesh chair
<u>Chair Specification (椅子规格)</u>	
Width (宽度)	68.5CM
Depth (深度)	64CM
Lowest Height (气杆最低的高度)	121CM
Highest Height (气杆最高的高度)	129CM
Net Weight (净重)	22.4KGS
No of chairs per carton 多少张椅子一箱	1PC/CTN
Carton Size (L X W X H) based on 1pc/ctn 纸箱尺寸	77*35.5*65CM
CBM Per Piece based on 1pc/ctn (每张椅子的体积)	0.178CBM
No of chairs per carton 多少张椅子一箱	2PCS/CTN (chair body: 2pcs/ctn, base :2sets/ctn.)
Carton Size (L X W X H) based on 2 pcs/ctn 纸箱尺寸	base :2sets/ctn, 64*13*63cm.
CBM Per Piece based on 2pcs/ctn (每张椅子的体积)	0.134
HS CODE	94013900
Weight Capacity	180KG
Warranty	2 Years
<u>Component Specification (配件规格)</u>	
Head Rest (L * W) (头枕尺寸 L*W)	29*17 CM
Backrest Width 靠背的宽度	48 CM
Backrest Height 靠背的高度	57CM (From The Seat)
Foam Density 海绵密度	65 Injection Foam
Seat Width (Inner) 坐内宽	51 CM
Seat Depth 坐深	50 CM
Seat Depth Adjustment 坐深调节	5CM
Seat Height (Lowest) 坐高 (最低的高度)	50CM
Seat Height (Highest) 坐高 (最高的高度)	58CM
Armrest Pad (L*W)扶手面尺寸 (L*W)	PU PAD, 25.5*8.5CM
Armrest Height Adjustment 扶手高度调节	9CM
Armrest Depth Adjustment 扶手深度调节	5CM
Armrest Height (Lowest From Floor) 扶手离地高度最低	73CM
Armrest Height (Highest From Floor)扶手离地高度最高	81CM
Mechanism(Type)底盘款式	Two handle mechanism with postions lock from 90° to 125°
Mechanism Thickness 底盘厚度	3.0MM
Gas lift (Hydraulic) Finish/Color 气动杆颜色	Chrome
Gas lift Grade 气动杆级别	GRADE 3
Gas lift Height 气动杆高度	85
Base 椅脚	Square chromed iron base
Base Radius 椅脚的半径	32 CM
Base Test Weight Capacity 椅脚承重	1136KG
Castor Type 脚轮款式	Nylon Castors
Color 颜色	Option





Product Specification	
Model No (产品型号)	LA-874FHP
Item Description (产品描述)	High back mesh chair
Chair Specification (椅子规格)	
Width (宽度)	62.5CM
Depth (深度)	69CM
Lowest Height (气杆最低的高度)	115CM
Highest Height (气杆最高的高度)	123CM
Net Weight (净重)	21KGS
No of chairs per carton 多少张椅子一箱	1PC/CTN
Carton Size (L X W X H) based on 1pc/ctn 纸箱尺寸	77*35.5*65CM
CBM Per Piece based on 1pc/ctn (每张椅子的体积)	0.178CBM
No of chairs per carton 多少张椅子一箱	2PCS/CTN (chair body: 2pcs/ctn, base :2sets/ctn,)
Carton Size (L X W X H) based on 2 pcs/ctn 纸箱尺寸	chair body: 2pcs/ctn,77*54*52cm; base :2sets/ctn, 67*13*66cm,
CBM Per Piece based on 2pcs/ctn (每张椅子的体积)	0.137
HS CODE	94013900
Weight Capacity	180KG
Warranty	2 Years
Component Specification (配件规格)	
Head Rest (L * W) (头枕尺寸 L*W)	29*17 CM
Backrest Width 靠背的宽度	48 CM
Backrest Height 靠背的高度	54CM (From The Seat)
Seat Thickness 坐厚	6.5CM
Foam Density 海绵密度	65 Injection Foam
Seat Width (Inner) 坐内宽	49 CM
Seat Depth 坐深	53.5 CM
Seat Height (Lowest) 坐高 (最低的高度)	46CM
Seat Height (Highest) 坐高 (最高的高度)	54CM
Armrest Pad (L*W)扶手面尺寸 (L*W)	28 *8CM
Armrest Height Adjustment 扶手高度调节	6CM
Armrest Depth Adjustment 扶手深度调节	5CM
Armrest Height (Lowest From Floor) 扶手离地高度最低	68CM
Armrest Height (Highest From Floor)扶手离地高度最高	76CM
Mechanism(Type)底盘款式	Two handle mechanism with postions lock from 90° to 125°
Mechanism Thickness 底盘厚度	3.0 MM
Gas lift (Hydraulic) Finish/Color 气动杆颜色	Chrome
Gas lift Grade 气动杆级别	GRADE 3
Gas lift Height 气动杆高度	85
Base 椅脚	Square chromed iron base
Base Radius 椅脚的半径	35 CM
Base Test Weight Capacity 椅脚承重	1136KG
Castor Type 脚轮款式	Nylon Castors
Footrest Pad (L * W) (脚踏尺寸 L*W)	42.5*15CM
Stretch Length 可伸缩长度	44CM
Footrest Height (Lowest From Floor) 脚踏离地高度最低	40CM
Footrest Height (Highest From Floor)脚踏离地高度最高	48CM
Color 颜色	Option



Specifications

LA-874MH-1:



LA-874CH-1:



LA-874SH:



LA-874FHP:

