




Nika Series




Function Display

Adjustable Headrest


The mesh headrest with height and Angle adjustment, keep your get great neck support and avoid cervical pain.



1.Height adjustment



2.Different Angles Adjustment



3.Forward and Backward Adjustment

The Backrest With Clothes Hanger

The office chair is made of high-quality PP, solid and stable. The chair frame has a stylish silver appearances, adding work comfort and functional style to your working area.




The mesh executive chair is equipped with a clothes hanger, it effectively prevents your apparel from wrinkle, bringing much convenience in your daily life.




Adjustable Lumbar Support

The lumbar pillow can be adjusted up and down and front and back to make your lumbar spine more comfortable.



5CM up and down



3CM front & back

Two Options Of Armrest


Metal Height Adjustable Armrest

Desk chair metal arm could adjust up and down , the soft PU pad support your arm sufficient and comfortable.




Adjustable 3D Metal Armrest


Adjusting up and down, pivot in and out, and shift forward and back, to provide steady support for your arms so your shoulders can remain in a relaxed position.



1.Depth Adjustment



2.Pivot Adjustment



3.Height Adjustment



Three Options Of Seat

Full Mesh Seat

High-back design with suspension seat made of breathable mesh for added support and extra comfort with airflow.




Cushion Seat

The cushion is completely native high-density urethane that is comfortable and breathable, so it won't tip over even when sitting for a long time.



Mesh Sliding Seat

The 5CM adjustment of seat depth provides a comfortable sitting feeling for users with various heights and weights.




Back Tilt

The backrest supports a large 125° angle towards the back, so you can use it for your lunch break to relieve fatigue.



Tilt tension

- Rotate the knob under the seat to adjust the backward tightness.
- For firmer/stiffer ---turn clockwise.
- For softer/looser---turn counter clockwise.



Pneumatic Seat Height Adjustment

- Pull up on lever located on the right side of the seat.
- Lower or raise the seat to your desired height, then release the lever to lock the seat height.

Variable Position Tilt Lock

- Press down on the handle located on the left side of the seat to lock the back into position.
- Pull up the handle to unlock the back position.

Material Display

Breathable Mesh

The mesh back keep air circulation for extra comfy. High quality mesh resists abrasion and transformation, it makes the high back computer desk chairs good for sitting for 4 ~ 8 hours, perfect for a long day sitting.



Explosion-proof Thickened Mechanism

Designed with high quality material, it can bear more than 180kg.
Precise control the height adjustment and angle locking.



High Quality Gas Lift

Our premium gas lift includes a seat height adjustment feature
and can adapt to different user heights.



Strong Metal Base

Constructed to provide impeccable stability and strength, maximum load-bearing 1136kg.



Smooth Casters

Smooth and durable nylon casters are suitable for hard floor, carpet floor, etc, without noisy when it swivels and won't scratch the ground.



Nika Series



LA-896MH



LA-896FH-2



LA-896SH



LA-896PH

			
	LA-896MH	LA-896SH/PH	LA-896FH-2
3D Headrest Adjustment	✓	✓	✓
Back With Cloth Hanger	✓	✓	✓
Lumbar Support	✓	✓	✓
Armrest	Height Metal Adjustable Armrest	3D Metal Adjustable Armrest	Height Metal Adjustable Armrest
Seat	Mesh Seat	Sliding Mesh Seat	Cushion Seat
Back Tilt Adjustment	90°-125°	90°-125°	90°-125°
Gaslift	85	85	85
Base	320mm Round Chromed Iron Base	320mm Square Chromed Iron Base	320mm Round Chromed Iron Base

Certificates



Test Report

No.: SDHL1710021257FT

Date: Nov.17, 2017

Page 1 of 11

FOSHAN CITY SHUN DE DISTRICT ZHIXING FURNITURE CO., LTD
NO.7, 2ND ROAD WEST PARK, XIANTANG BAOYONG INDUSTRY AVENUE,
LONGJIANG TOWN, SHUNDE DISTRICT, FOSHAN CITY, GUANGDONG, CHINA

The following sample(s) was / were submitted and identified on behalf of the client as:

Sample Description : OFFICE CHAIR (LA-896H-2)
Sample Receiving Date : Oct.13, 2017
Sample Resubmission Date : Nov.13, 2017
Test Performing Date : Oct.13, 2017 to Nov.17, 2017

Test Result Summary

Test(s) Requested	Result(s)
ANSI/BIFMA X5.1-2017 (Type I, III)	PASS

Summary:

1. For further details, please refer to the following page(s).

Signed for and on behalf of
Shunde Branch
SGS-CSTC Co., Ltd.

Hary Nie
Approved signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed on the back of this document or available at <http://www.sgs.com/eng/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/eng/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone (86-755) 8387 1443, or email: CN.Shunde@sgs.com

中国广东佛山顺德地区大德路11号SGS检测认证有限公司 电话: 8387 1443 1 (86-757) 22805688 1 (86-757) 22805658 1 (86-757) 22805656 www.sgs.com.cn
中国广东佛山顺德地区大德路11号SGS检测认证有限公司 电话: 8387 1443 1 (86-757) 22805688 1 (86-757) 22805658 1 (86-757) 22805656 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Product Information

Product Specification	
Model No (产品型号)	LA-896SH/PH
Item Description (产品描述)	High back mesh chair
Chair Specification (椅子规格)	
Width (宽度)	65.5CM
Depth (深度)	66CM
Lowest Height (气杆最低的高度)	119 CM
Highest Height (气杆最高的高度)	127CM
Net Weight (净重)	17.5 KGS
No of chairs per carton 多少张椅子一箱	1PC/CTN
Carton Size (L X W X H) based on 1pc/ctn 纸箱尺寸	75*32*63CM
CBM Per Piece based on 1pc/ctn (每张椅子的体积)	0.155CBM
No of chairs per carton 多少张椅子一箱	2PCS/CTN (chair body: 2pcs/ctn, base :2sets/ctn.
Carton Size (L X W X H) based on 2 pcs/ctn 纸箱尺寸	chair body: 2pcs/ctn,77*48*53cmcm; base :2sets/ctn, 64*11*63cm.
CBM Per Piece based on 2pcs/ctn (每张椅子的体积)	0.151
HS CODE	94013900
Weight Capacity	180KG
Warranty	2 Years
Component Specification (配件规格)	
Head Rest (L * W) (头枕尺寸 L*W)	29*17 CM
Backrest Width 靠背的宽度	48 CM
Backrest Height 靠背的高度	57CM (From The Seat)
Foam Density 海绵密度	65 Injection Foam
Seat Width (Inner) 坐内宽	49CM
Seat Depth 坐深	50CM
Seat Height (Lowest) 坐高 (最低的高度)	47CM
Seat Height (Highest) 坐高 (最高的高度)	55CM
Armrest Pad (L*W)扶手面尺寸 (L*W)	PU PAD, 25 .5*8 CM
Armrest Height Adjustment 扶手高度调节	8CM
Armrest Height (Lowest From Floor) 扶手离地高度最低	66CM
Armrest Height (Highest From Floor)扶手离地高度最高	74CM
Mechanism(Type)底盘款式	Two handle mechanism with postions lock from 90° to 125°
Mechanism Thickness 底盘厚度	3.0MM
Gas lift (Hydraulic) Finish/Color 气动杆颜色	Chrome
Gas lift Grade 气动杆级别	GRADE 3
Gas lift Height 气动杆高度	85
Base 椅脚	Round chromed iron base
Base Radius 椅脚的半径	32 CM
Base Test Weight Capacity 椅脚承重	1136KG
Castor Type 脚轮款式	Nylon Castors
Color 颜色	Option





Product Specification		
Model No (产品型号)	LA-896SH	
Item Description (产品描述)	High back mesh chair	
Chair Specification (椅子规格)		
Width (宽度)	70CM	
Depth (深度)	63CM	
Lowest Height (气杆最低的高度)	120CM	
Highest Height (气杆最高的高度)	128CM	
Net Weight (净重)	21 KGS	
No of chairs per carton 多少张椅子一箱	1PC/CTN	
Carton Size (L X W X H) based on 1pc/ctn 纸箱尺寸	77*35.5*65CM	
CBM Per Piece based on 1pc/ctn (每张椅子的体积)	0.178CBM	
No of chairs per carton 多少张椅子一箱	2PCS/CTN (chair body: 2pcs/ctn, base :2sets/ctn,)	
Carton Size (L X W X H) based on 2 pcs/ctn 纸箱尺寸	chair body: 2pcs/ctn,77*54*53cm; base :2sets/ctn, 64*13*63cm,	
CBM Per Piece based on 2pcs/ctn (每张椅子的体积)	0.137	
HS CODE	94013900	
Weight Capacity	180KG	
Warranty	2 Years	
Component Specification (配件规格)		
Head Rest (L * W) (头枕尺寸 L*W)	29*17 CM	
Backrest Width 靠背的宽度	48 CM	
Backrest Height 靠背的高度	53CM (From The Seat)	
Foam Density 海绵密度	65 Injection Foam	
Seat Width (Inner) 坐内宽	50 CM	
Seat Depth 坐深	50 CM	
Seat Depth Adjustment 坐深调节	5CM	
Seat Height (Lowest) 坐高 (最低的高度)	50CM	
Seat Height (Highest) 坐高 (最高的高度)	58CM	
Armrest Pad (L*W)扶手面尺寸 (L*W)	PU PAD, 25.5*8.5CM	
Armrest Height Adjustment 扶手高度调节	9CM	
Armrest Depth Adjustment 扶手深度调节	5CM	
Armrest Height (Lowest From Floor) 扶手离地高度最低	73CM	
Armrest Height (Highest From Floor)扶手离地高度最高	81CM	
Mechanism(Type)底盘款式	Two handle mechanism with postions lock from 90° to 125°	
Mechanism Thickness 底盘厚度	3.0MM	
Gas lift (Hydraulic) Finish/Color 气动杆颜色	Chrome	
Gas lift Grade 气动杆级别	GRADE 3	
Gas lift Height 气动杆高度	85	
Base 椅脚	Square chromed iron base	
Base Radius 椅脚的半径	32 CM	
Base Test Weight Capacity 椅脚承重	1136KG	
Castor Type 脚轮款式	Nylon Castors	
Color 颜色	Option	





Product Specification		
Model No (产品型号)	LA-896H-2	
Item Description (产品描述)	High back mesh chair	
Chair Specification (椅子规格)		
Width (宽度)	65CM	
Depth (深度)	65CM	
Lowest Height (气杆最低的高度)	120CM	
Highest Height (气杆最高的高度)	128CM	
Net Weight (净重)	17KGS	
No of chairs per carton 多少张椅子一箱	1PC/CTN	
Carton Size (L X W X H) based on 1pc/ctn 纸箱尺寸	73*33*63CM	
CBM Per Piece based on 1pc/ctn (每张椅子的体积)	0.152CBM	
No of chairs per carton 多少张椅子一箱	2PCS/CTN (chair body: 2pcs/ctn, base :2sets/ctn,)	
Carton Size (L X W X H) based on 2 pcs/ctn 纸箱尺寸	chair body: 2pcs/ctn,77*48*53cm; base :2sets/ctn,	
CBM Per Piece based on 2pcs/ctn (每张椅子的体积)	0.12	
HS CODE	94013900	
Weight Capacity	180KG	
Warranty	2 Years	
Component Specification (配件规格)		
Head Rest (L * W) (头枕尺寸 L*W)	29*17 CM	
Backrest Width 靠背的宽度	48CM	
Backrest Height 靠背的高度	60CM (From The Seat)	
Seat Width (Inner) 坐内宽	53 CM	
Seat Depth 坐深	54CM	
Seat Thickness 坐厚	7CM	
Seat Height (Lowest) 坐高 (最低的高度)	46CM	
Seat Height (Highest) 坐高 (最高的高度)	54CM	
Armrest Pad (L*W)扶手面尺寸 (L*W)	PU PAD, 25 .5*8 CM	
Armrest Height Adjustment 扶手高度调节	8CM	
Armrest Height (Lowest From Floor) 扶手离地高度最低	64CM	
Armrest Height (Highest From Floor)扶手离地高度最高	72CM	
Mechanism(Type)底盘款式	Two handle mechanism with postions lock from 90° to 125°	
Mechanism Thickness 底盘厚度	3.0MM	
Gas lift (Hydraulic) Finish/Color 气动杆颜色	Chrome	
Gas lift Grade 气动杆级别	GRADE 3	
Gas lift Height 气动杆高度	85	
Base 椅脚	Round chromed iron base	
Base Radius 椅脚的半径	32 CM	
Base Test Weight Capacity 椅脚承重	1136KG	
Castor Type 脚轮款式	Nylon Castors	
Color 颜色	Option	

Specifications

LA-896MH:



LA-896FH-2:



LA-896SH/PH:

