




Raki Series




Product Features

3D Adjustable Headrest


The multi-dimensional free rotating headrest provides the most comfortable position for your head and neck.



1.Height adjustment



2.Different Angles Adjustment



3.Forward and Backward Adjustment



Two Options Of Armrest


Metal Height Adjustable Armrest

Desk chair arm is height adjustable ,the soft PU material make the arm pad support your arm sufficient and comfortable.




Adjustable 2D Plastic Armrest

Adjusting the 2D armrest go forwards & back, up & down for a comfortable arm support.




1.Depth Adjustment




2.Height Adjustment

Adjustable 2D Lumbar Support

The lumbar pillow can be adjusted up and down and front and back to make your lumbar spine more comfortable.



3CM front & back



5CM up and down

Three Options Of Seat

Full Mesh Seat

High-back design with suspension seat made of breathable mesh for added support and extra comfort with airflow.




Comfortable Cushion Seat

High-density sponge-filled cushion is soft and not easily deformed, which is soft and comfortable.




Cushion Seat with Footrest

The concealed telescopic footrest at the bottom of the cushion seat is easy to extract, which perfectly improves the quality of the lunch break for adults when they go to work.



Back Tilt

The backrest supports a large 125° angle towards the back, so you can use it for your lunch break to relieve fatigue.



Pneumatic Seat Height Adjustment

- Pull up on lever located on the right side of the seat.
- Lower or raise the seat to your desired height, then release the lever to lock the seat height.



Material Display

Explosion-proof Thickened Mechanism

Designed with high quality material, it can bear more than 330lbs.
Precise control the height adjustment and angle locking.



Heavy Duty Gaslift

Made of iron steel, durable & safe.
8 cm lifting range,easily adjust the height in customized comfort
in the office.



Strong Iron base

Constructed to provide impeccable stability and strength, maximum load-bearing 1136KG.



Smooth Casters

Durable and silence casters without scratching your floor, enhance your seating experience.



Raki Series



LA-861MH



LA-861FH



LA-861FHP

			
	LA-861MH	LA-861FH	LA-861FHP
3D Headrest Adjustment	✓	✓	✓
Backrest	✓	✓	✓
Lumbar Support	✓	✓	✓
Armrest	Height Metal Adjustable Armrest	Height Metal Adjustable Armrest	2D Plastic Adjustable Armrest
Seat	Mesh Seat	Cushion Seat	Injection Foam Cushion Seat
Footrest	X	X	✓
Back Tilt Adjustment	90°-125°	90°-125°	90°-125°
Mechanism Material	Iron	Iron	Iron
Gaslift	85Y40	85Y40	85Y40
Base	320mm Round Chromed Iron Base	320mm Round Chromed Iron Base	350mm Round Chromed Iron Base
Castor	Nylon	Nylon	Nylon

Certificates



Test Report

No.: SDHL1710021255FT

Date: Nov.17, 2017

Page 1 of 11

FOSHAN CITY SHUN DE DISTRICT ZHIXING FURNITURE CO., LTD
NO.7, 2ND ROAD WEST PARK, XIANTANG BAOYONG INDUSTRY AVENUE,
LONGJIANG TOWN, SHUNDE DISTRICT, FOSHAN CITY, GUANGDONG, CHINA

The following sample(s) was / were submitted and identified on behalf of the client as:

Sample Description : OFFICE CHAIR (LA-861FH-2)
Sample Receiving Date : Oct.13, 2017
Sample Resubmission Date : Nov.13, 2017
Test Performing Date : Oct.13, 2017 to Nov.17, 2017

Test Result Summary

Test(s) Requested	Result(s)
ANSI/BIFMA X5.1-2017 (Type I, III)	PASS
Summary:	
1. For further details, please refer to the following page(s).	

Signed for and on behalf of
Shunde Branch
SGS-CSTC Co., Ltd.

Hary Nie
Approved signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/ter/term-and-conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/ter/term-and-conditions/term-e-document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone (86-755) 8387 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC (Shunde) Co., Ltd.
Shunde Branch

中国广东顺德市大涌镇沙涌村沙涌工业区1号1楼101室 523221 (86-757)22805888 f (86-757)22805858 www.sgs.com.cn
中国广东顺德市大涌镇沙涌村沙涌工业区1号1楼101室 523221 (86-757)22805888 f (86-757)22805858 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Product Information

Product Specification		
Model No (产品型号)	LA-861MH	
Item Description (产品描述)	High back mesh chair	
Chair Specification (椅子规格)		
Width (宽度)	61.5CM	
Depth (深度)	64CM	
Lowest Height (气杆最低的高度)	120 CM	
Highest Height (气杆最高的高度)	128CM	
Net Weight (净重)	17.5 KGS	
No of chairs per carton 多少张椅子一箱	1PC/CTN	
Carton Size (L X W X H) based on 1pc/ctn 纸箱尺寸	73*32*63cm	
CBM Per Piece based on 1pc/ctn (每张椅子的体积)	0.147CBM	
No of chairs per carton 多少张椅子一箱	2PCS/CTN (chair body: 2pcs/ctn, base :2sets/ctn,)	
	chair body: 2pcs/ctn, 72*46*52cm; base :2sets/ctn, 64*11*63cm.	
Carton Size (L X W X H) based on 2 pcs/ctn 纸箱尺寸		
CBM Per Piece based on 2pcs/ctn (每张椅子的体积)	0.108	
HS CODE	94013900	
Weight Capacity	180KG	
Warranty	2 Years	
Component Specification (配件规格)		
Head Rest (L * W) (头枕尺寸 L*W)	29*17 CM	
Backrest Width 靠背的宽度	49 CM	
Backrest Height 靠背的高度	58CM (From The Seat)	
Foam Density 海绵密度	65 Injection Foam	
Seat Width (Inner) 坐内宽	49CM	
Seat Depth 坐深	47CM	
Seat Height (Lowest) 坐高 (最低的高度)	48CM	
Seat Height (Highest) 坐高 (最高的高度)	56CM	
Metal Armrest Pad (L*W)扶手面尺寸 (L*W)	PU PAD, 25 *8 CM	
Armrest Height Adjustment 扶手高度调节	8CM	
Armrest Height (Lowest From Floor) 扶手离地高度最低	67CM	
Armrest Height (Highest From Floor) 扶手离地高度最高	75CM	
Mechanism (Type) 底盘款式	Two handle mechanism with postions lock from 90° to 125°	
Mechanism Thickness 底盘厚度	3.0MM	
Gas lift (Hydraulic) Finish/Color 气动杆颜色	Chrome	
Gas lift Grade 气动杆级别	GRADE 3	
Gas lift Height 气动杆高度	85	
Base 椅脚	Round chromed iron base	
Base Radius 椅脚的半径	32 CM	
Base Test Weight Capacity 椅脚承重	1136KG	
Castor Type 脚轮款式	Nylon Castors	
Color 颜色	Option	

Model No (产品型号)	LA-861FH	
Item Description (产品描述)	High back mesh chair	
<u>Chair Specification (椅子规格)</u>		
Width (宽度)	63CM	
Depth (深度)	67CM	
Lowest Height (气杆最低的高度)	118CM	
Highest Height (气杆最高的高度)	126CM	
Net Weight (净重)	16.5KGS	
No of chairs per carton 多少张椅子一箱	1PC/CTN	
Carton Size (L X W X H) based on 1pc/ctn 纸箱尺寸	73*32*63cm	
CBM Per Piece based on 1pc/ctn (每张椅子的体积)	0.147CBM	
No of chairs per carton 多少张椅子一箱	2PCS/CTN (chair body: 2pcs/ctn, base :2sets/ctn,)	
Carton Size (L X W X H) based on 2 pcs/ctn 纸箱尺寸	chair body: 2pcs/ctn, 72*46*52cm; base :2sets/ctn, 64*11*63cm.	
CBM Per Piece based on 2pcs/ctn (每张椅子的体积)	0.108	
HS CODE	94013900	
Weight Capacity	180KG	
Warranty	2 Years	
<u>Component Specification (配件规格)</u>		
Head Rest (L * W) (头枕尺寸 L*W)	29*17 CM	
Backrest Width 靠背的宽度	49CM	
Backrest Height 靠背的高度	59CM (From The Seat)	
Seat Width (Inner) 坐内宽	50 CM	
Seat Depth 坐深	52CM	
Seat Thickness 坐厚	7CM	
Seat Height (Lowest) 坐高 (最低的高度)	44.5CM	
Seat Height (Highest) 坐高 (最高的高度)	52.5CM	
Armrest Pad (L*W)扶手面尺寸 (L*W)	PU PAD, 25 *8 CM	
Armrest Height Adjustment 扶手高度调节	8CM	
Armrest Height (Lowest From Floor) 扶手离地高度最低	62CM	
Armrest Height (Highest From Floor)扶手离地高度最高	70CM	
Mechanism(Type)底盘款式	Two handle mechanism with postions lock from 90° to 125°	
Mechanism Thickness 底盘厚度	3.0MM	
Gas lift (Hydraulic) Finish/Color 气动杆颜色	Chrome	
Gas lift Grade 气动杆级别	GRADE 3	
Gas lift Height 气动杆高度	85	
Base 椅脚	Round chromed iron base	
Base Radius 椅脚的半径	32 CM	
Base Test Weight Capacity 椅脚承重	1136KG	
Castor Type 脚轮款式	Nylon Castors	
Color 颜色	Option	

Model No (产品型号)	LA-861FHP	
Item Description (产品描述)	High back mesh chair	
<u>Chair Specification (椅子规格)</u>		
Width (宽度)	63.5CM	
Depth (深度)	63CM	
Lowest Height (气杆最低的高度)	118CM	
Highest Height (气杆最高的高度)	126CM	
Net Weight (净重)	20.5KGS	
No of chairs per carton 多少张椅子一箱	1PC/CTN	
Carton Size (L X W X H) based on 1pc/ctn 纸箱尺寸	73*35*63cm	
CBM Per Piece based on 1pc/ctn (每张椅子的体积)	0.161CBM	
No of chairs per carton 多少张椅子一箱	2PCS/CTN (chair body: 2pcs/ctn, base :2sets/ctn,)	
Carton Size (L X W X H) based on 2 pcs/ctn 纸箱尺寸	chair body: 2pcs/ctn,72*54*52cm; base :2sets/ctn, 67*11*66cm,	
CBM Per Piece based on 2pcs/ctn (每张椅子的体积)	0.125	
HS CODE	94013900	
Weight Capacity	180KG	
Warranty	2 Years	
<u>Component Specification (配件规格)</u>		
Head Rest (L * W) (头枕尺寸 L*W)	29*17 CM	
Backrest Width 靠背的宽度	49 CM	
Backrest Height 靠背的高度	57CM (From The Seat)	
Seat Thickness 坐厚	6.5CM	
Foam Density 海绵密度	65 Injection Foam	
Seat Width (Inner) 坐内宽	49 CM	
Seat Depth 坐深	49 CM	
Seat Height (Lowest) 坐高 (最低的高度)	46CM	
Seat Height (Highest) 坐高 (最高的高度)	54CM	
Armrest Pad (L*W)扶手面尺寸 (L*W)	28 *8CM	
Armrest Height Adjustment 扶手高度调节	6CM	
Armrest Depth Adjustment 扶手深度调节	5CM	
Armrest Height (Lowest From Floor) 扶手离地高度最低	67CM	
Armrest Height (Highest From Floor)扶手离地高度最高	75CM	
Mechanism(Type)底盘款式	Two handle mechanism with postions lock from 90° to 125°	
Mechanism Thickness 底盘厚度	3.0 MM	
Gas lift (Hydraulic) Finish/Color 气动杆颜色	Chrome	
Gas lift Grade 气动杆级别	GRADE 3	
Gas lift Height 气动杆高度	85	
Base 椅脚	Square chromed iron base	
Base Radius 椅脚的半径	35 CM	
Base Test Weight Capacity 椅脚承重	1136KG	
Castor Type 脚轮款式	Nylon Castors	
Footrest Pad (L * W) (脚踏尺寸 L*W)	42.5*15CM	
Stretch Length 可伸缩长度	44CM	
Footrest Height (Lowest From Floor) 脚踏离地高度最低	39CM	
Footrest Height (Highest From Floor)脚踏离地高度最高	47CM	
Color 颜色	Option	

Specifications

LA-861MH:



LA-861FH:



LA-861FHP:

